### **BUILDING TRUST**

# **LEED ATTESTATION**

#### **Attestation**

LEED Product Information acc. to LEED v4 for Building Design and Construction.

Sika certifies based on the present state of knowledge, that the product

## Sikafloor®-262 AS N

conforms to the LEED v4 credit **Low-emitting materials**. A representative sample of the manufactured product has been tested in a laboratory accredited under ISO/IEC 17025 according to the relevant testing standards ISO 16000, EN 16516, CDPH 01350, ASTM D 2369 and EPA method 24.

**VOC Emissions:** According to LEED v4 VOC emissions are complying with the requirements of California Department of Public Health (CDPH) Standard Method v1.2–2017 (January 2017) (both private office and class room). Additionally TVOC after 14 days measured as specified in CDPH SM is between 0.5 and 5 mg/m<sup>3</sup>. The amount applied is 2.5 kg per m<sup>2</sup>.

**VOC Content:** VOC content is complying with the requirement of the California Air Resources Board (CARB) 2007, Suggested Control Measure (SCM) for Architectural Coatings "Floor Coatings" which is < 100 g/l (less water).

Sika Deutschland GmbH

Horst Schneider

Il folmach

Head of Testing and Application R+D

Sika Services AG

Henry Heinrich

**Corporate Product Engineer** 

Stuttgart, January 2019

Sika Services AG · Tüffenwies 16

8048 Zürich Switzerland · Telefon +41 58 436 40 40 · Telefax +41 58 436 41 50

Internet: www.sika.com



**BUILDING TRUST** 

# **ATTESTATION**

## **Attestation**

Sika certifies based on the present state of knowledge, that all Sika's LEED v4 attestations regarding low-emitting materials credit, follow the Standard Method CDPH SM V1.1-2010, sección 8.

Sika S.A.U.

Ana Carmona

**Product Sustainability** 

Alcobendas, April 2019