

BUILDING TRUST

LEED ATTESTATION

Attestation

LEED Product Information acc. to LEED v4 for Building Design and Construction.

Sika certifies based on the present state of knowledge, that the product

Sikafloor®-304 W

conforms to the LEED v4 credit **Low-emitting materials**. A representative sample of the manufactured product has been tested in a laboratory accredited under ISO/IEC 17025 according to the relevant testing standards, CDPH 01350, ISO 11890-1, ASTM D 2369.

VOC Emissions: According to LEED v4 VOC emissions are complying with the requirements of California Department of Public Health (CDPH) Standard Method v1.2–2017 (January 2017) (both private office and class room). Additionally TVOC after 14 days measured as specified in CDPH SM is below 0.5 mg/m³. The amount applied is 130 g per m².

VOC Content: VOC content is complying with the requirement of the California Air Resources Board (CARB) 2007, Suggested Control Measure (SCM) for Architectural Coatings "Floor Coatings" which is < 100 g/l (less water) and with the requirement of SCAQMD Rule 1113 (2011) for product type "Floor Coatings" which is < 50 g/l.

Sika Deutschland GmbH

H. Clunado

Horst Schneider Head of Testing and Application R+D

Sika Services AG

Pavol Koniar Corporate Product Engineer

Stuttgart, January 2019

Sika Services AG · Tüffenwies 16 8048 Zürich Switzerland · Telefon +41 58 436 40 40 · Telefax +41 58 436 41 50 Internet: <u>www.sika.com</u>



BUILDING TRUST

ATTESTATION

Attestation

Sika certifies based on the present state of knowledge, that all Sika's LEED v4 attestations regarding low-emitting materials credit, follow the Standard Method CDPH SM V1.1-2010, sección 8.

Sika S.A.U.

Ana Carmona Product Sustainability

Alcobendas, April 2019