

LEED ATTESTATION

Attestation

LEED Product Information acc. to LEED v4 for Building Design and Construction.

Sika certifies based on the present state of knowledge, that the product

Sikafloor®-2540 W

conforms to the LEED v4 credit **Low-emitting materials**. A representative sample of the manufactured product has been tested in a laboratory accredited under ISO/IEC 17025 according to the relevant testing standards, ISO 16000, EN 16516, CDPH 01350, ASTM D 2369 and EPA method 24.

VOC Emissions: According to LEED v4 VOC emissions are complying with the requirements of California Department of Public Health (CDPH) Standard Method v1.2–2017 (January 2017) (both private office and class room). Additionally TVOC after 14 days measured as specified in CDPH SM is below 0.5 mg/m^3 . The amount applied is 300 g per m^2 .

VOC Content: VOC content is complying with the requirement of SCAQMD Rule 1113 (2011) for product type "Floor Coatings" which is $< 50 \text{ g/l}$.

Sika Deutschland GmbH

A handwritten signature in black ink, appearing to read "H. Schneider".

Horst Schneider

Head of Testing and Application R+D

Sika Services AG

A handwritten signature in blue ink, appearing to read "George Kiagias".

George Kiagias

Corporate System Engineer Flooring

Stuttgart, January 2019

ATTESTATION

Attestation

Sika certifies based on the present state of knowledge, that all Sika's LEED v4 attestations regarding low-emitting materials credit, follow the Standard Method CDPH SM V1.1-2010, sección 8.

Sika S.A.U.

A handwritten signature in blue ink, appearing to read "Ana Carmona", with a horizontal line underneath.

Ana Carmona
Product Sustainability

Alcobendas, April 2019